

### PLASTIC OIL 330

---

Date of issue: 26.07.2005

Sonneborn Refined Products B.V. urges the recipient of this Safety Data Sheet to study it carefully to become aware of hazards, if any, of the product involved. In the interest of safety you should (1) notify your employees, agents and contractors of the information on this sheet,(2) furnish a copy to each of your customers for the product, and (3) request your customers to inform their employees and customers as well.

---

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

---

### Identification of the substance or preparation

Chemical name : Plastic Oil

### Company identification

Sonneborn Refined Products B.V.  
Spaarndamseweg 466  
NL - 2022 EB Haarlem  
Tel: +31-75-6283854  
Fax: +31-75-6210811

### Emergency telephone number

Tel.: +31.20.611.74.75

### Environmental, Health and Safety Department

Sonneborn Refined Products B.V.  
Mainhavenweg 6  
1043 AL Amsterdam  
The Netherlands  
Tel.: +31.20.611.74.75  
Fax: +31.20.611.09.59

---

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

---

INGREDIENT/CAS#	% BY WEIGHT	HAZARD	DANGER SYMBOL(S)
-----------------	-------------	--------	------------------

---

No hazardous ingredients  
-

---

## 3. HAZARDS IDENTIFICATION

---

### Main hazards and effects:

None

### PLASTIC OIL 330

---

---

#### 4. FIRST AID MEASURES

---

**Swallowing**

Do not induce vomiting. Obtain medical attention immediately.

**Inhalation**

No emergency care anticipated.

**Skin contact**

No emergency care anticipated.

**Eye contact**

Flush eyes thoroughly with water for several minutes. Obtain medical attention if discomfort persists.

**Notes to physician**

None

---

#### 5. FIRE-FIGHTING MEASURES

---

**Extinguishing media**

Suitable : Extinguish with:

- dry chemical
- carbon dioxide (in case of small fires)
- water fog
- foam
- sand or earth

Unsuitable : Do not use water jet.

**Special fire fighting procedures**

Do not direct a solid stream of water or foam into burning molten material; this may cause spattering and spread the fire.

**Special protective equipment for firefighters**

Self-contained breathing apparatus.

**Unusual fire and explosion hazards**

Following products may be produced during a fire: Oxides of carbon.

### PLASTIC OIL 330

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### Personal precautions

Wear suitable protective equipment.

### Environmental precautions

Avoid runoff to sewers or waterways. Dike area of spill to prevent spreading and pump liquid to salvage tank. Waste: avoid washing into watercourses. Use methods consistent with local regulations or incinerate.

### Methods for cleaning up

Dike to contain spill. Absorb on inert material such as sand, earth, vermiculite. Stop the leak if it can be done without risk.

---

## 7. HANDLING AND STORAGE

---

### HANDLING

Do not handle at temperatures  $> +60\text{ }^{\circ}\text{C}$

### Ventilation

General (mechanical) room ventilation is expected to be satisfactory for use at room temperature.

### STORAGE

#### Storage requirements

Keep away from heat, sparks and flame. Do not store at temperatures:  $> 25\text{ }^{\circ}\text{C}$

Store protected from light

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### EXPOSURE LIMITS

INGREDIENT TYPE	VALUE	REMARK
--------------------	-------	--------

---

No exposure limits have been established

### PERSONAL PROTECTION

#### Respiratory protection

None expected to be needed.

#### Hand protection / protective gloves

Wear gloves impervious to this material

#### Eye protection

Safety glasses.

Faceshield

### PLASTIC OIL 330

---

#### Skin protection

If any other protective measures for skin protection are recommended for this product, they will be mentioned under this topic.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

#### Appearance

Physical state	:	Liquid
Color	:	Colorless
Odor	:	None

#### Other properties

Melting point	:	Not applicable
Flash point	:	> 170 °C Method: ASTM D93
Autoignition temperature	:	Not determined
Explosion limits	:	
Upper explosion limits	:	Not determined
Lower explosion limits	:	Not determined
Density	:	0,81 - 0,89 g/cm <sup>3</sup> at 20 °C
Bulk density	:	Not available
Vapor pressure	:	< 0,1 hPa at 20 °C
Solubility in water	:	Negligible
Kinematic viscosity	:	67 - 74 mm <sup>2</sup> /s at 40 °C

---

## 10. STABILITY AND REACTIVITY

---

#### STABILITY

Stable.

#### Conditions to avoid

Avoid contact with: Strong oxidizing agents.

### PLASTIC OIL 330

---

**Incompatible materials**

Strong oxidizing agents.

**Hazardous combustion products**

Combustion may produce the following products:

Carbon monoxide.

Carbon dioxide.

---

## 11. TOXICOLOGICAL INFORMATION

---

**GENERAL**

No evidence of harmful effects from available information.

---

## 12. ECOLOGICAL INFORMATION

---

**General**

White mineral oil will be inherently biodegradable in water under aerobic conditions, and will be ultimately biodegrades by micro- organisms (although the biodegradability of White Mineral Oil will necessarily be limited by its low solubility in water).

---

## 13. DISPOSAL CONSIDERATIONS

---

Dispose of in accordance with local regulations or incinerate.

---

## 14. TRANSPORT INFORMATION

---

**ADR/RID**

This product is not regulated by ADR.

**IMDG**

This product is not regulated by IMDG.

**ICAO**

This product is not regulated by ICAO.

## **PLASTIC OIL 330**

---

### **15. REGULATORY INFORMATION**

---

#### **EC classification**

According to EC-regulations this product is not classified or labelled.

#### **Chemical Inventory**

Europe : This product is on the EINECS inventory.

---

### **16. OTHER INFORMATION**

---

#### **Recommended uses and restrictions**

Please consult the product and/or application information bulletins for this product.

A shaded background and a vertical line in the left margin of the report indicate a change compared to the previous version.

The opinions expressed herein are those of qualified experts within Sonneborn Refined Products B.V.. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of Sonneborn Refined Products B.V., it is the user's obligation to determine the conditions of safe use of the products.